

**LIST OF SAMPLES DECLARED NOT OF STANDARD QUALITY DURING THE YEAR 2019- 2020 (Up to October 2019)**

S. No.	Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
1.	CHLORANTON	Daffohills Laboratories Pvt. Ltd. F-109-110, UPSIDC, Industrial area Selqui Dehradun U.K – 248011 (India) Mrk. By : Remedies Pharmaceuticals Pvt. Ltd. 107A & B, Aradhana Bhawan , Azadpur Comm complex – Delhi - 110033	DI Kokernag Anantnag	DLT-3553 M/D: 08/2018 E/D: 07/2020	L/DA/2019-20/02 Dated: 02.04.2019	The sample does not conform to I.P requirement w.r.t Disintegration of tablets. .
2.	M KAST™-L	Adwin Pharma Vill. Rampur Jattan Trilokpur Road , kala-Amb Tehsil Nahan , distt. Sirmour H.P – 173030 Mrk. By: AHB Biosciences 182/76 Ind. Area Phase –II Chandigarh – 160 002	DI Zone II Srinagar	ADT-07-0619 MD: 07/2018 ED: 06/2020	L/DA/2019-20/01 Dated: 02.04.2019	The sample is not of standard quality for the reason stated under description.
3	Catrimax Super	Arora Pharmaceuticals Pvt. Ltd, C-35/13 , Lawrence Road, New Delhi - 110035	DI Udampur	CTS-11 MD: 10/2018 ED: 09/2020	CFDL/J/2019-20/17 Dated: 20.04.2019	The sample fails in the Assay of Cetriamide which is found to be 3 % w/v as compared to label claim of 15 % w/v.
4.	B-Complex Tablets NFI	Jackson Laboratories Pvt. Ltd 22-24 Majitha Road, Bye Pass , Amritsar – 143001 (India)	DI Rajouri	T-17313 MD: 07/2018 ED: 06/2020	LSD/RDTL/1702/18-19 Dated: 26.04.2019	The sample does not conforms to claim as per Patent & Proprietary in respect to the Identification B and the Assay of Calcium Pantothenate.
5.	B-Complex Tablets NFI	Jackson Laboratories Pvt. Ltd 22-24 Majitha Road, Bye Pass , Amritsar – 143001 (India)	DI Rajouri	T-17377 MD: 07/2018 ED: 06/2020	LSD/RDTL/1703/18-19 Dated: 26.04.2019	The sample does not conforms to claim as per Patent & Proprietary in respect to the Identification B and the Assay of Calcium Pantothenate.
6	Metoclopramide Hydrochloride Syrup IP (Hospital Supply Not for Sale)	Jackson Laboratories Pvt. Ltd 22-24 Majitha Road, Bye Pass , Amritsar – 143001 (India)	DI Anantnag	Sy-14950 MD: 09/2017 ED: 08/2019	L/DA/2019-20/126 Dated: 30.04.2019	The contents of Metoclopramide Hydrochloride equivalent to anhydrous Metoclopramide Hydrochloride in the sample are found less than the claim made.
7	Neostigmine Methyl Sulphate Injection IP	Jackson Laboratories Pvt. Ltd. 22-24, Majitha Road , Bye Pass , Amritsar – 143001 (India)	DI Baramulla HQ	I-16336 MD: 03/2018 ED: 02/2020	LSD/RDTL/1626/18-19 Dated: 07.03.2019	The sample does not conforms to claim as per IP 2014 in respect to the Particulate matter , Sterility.
8	Hexwin Mouth wash	Dr. Edwin Lab , Plot No. 517, Indl. Area , Phase IX, SAS Nagar – 160059 (Pb). Mrk. By Surewin Healthcare A-221, Someshwar Complex Satellite Road, Ahmedabad - 380015	DI Anantnag (HQ)	EHX-021 M/D: 03/2018 E/D: 02/2020	L/DA/2018-19/1615 Dated: 27.03.2019	The contents of Chlorhexidine Gluconate in the sample are found less than the claim made.
9	Zinac-MR Tablets	Dr. Edwin Lab. Plot No. 517, Indl. Area Phase IX , SAS Nagar- 160059 (Pb). Mrk. By: Orbit Healthcare (P) Ltd. Malad Rahul Co-Op Housing Society Marve Road Malad West Mumbai - 064	DI Sopore / Rafiaband	DET-01723 M/D: 09/2018 E/D: 08/2020	L/DA/2019-20/421 Dated: 26.06.2019	The drug sample does not comply to I.P requirements w.r.t Uniformity of Weight.
10	Drosis <sup>R</sup> -MF	Gnosis Pharmaceuticals Pvt. Ltd. Nahan Road Village Muginand Kala Amb Distt. Sirmour (H.P) -173030 Mrk. By: Curosis Healthcare Pvt. Ltd. C-6/01, Sec-15	DI Sopore / Rafiaband	GT81103 M/D: 09/2018 E/D: 08/2020	L/DA/2019-20/384 Dated: 18.06.2019	The drug sample fails in Description of tablets

		Airoli Navi Mumbai 400748				
11	Thiodol-8	Park Pharmaceuticals 272, Ind. Area Phase II Panchkula – 134113 Mrk. By : Sapients Labs, 206, Shivali Dongre Indl. Estate , Saki Naka, Andheri (E) Mumbai -	DI Zone I Srinagar	SL4144 M/D: 05/2018 E/D: 04/2020	L/DA/2019-20/423 Dated: 26.06.2019	The sample does not conform to the I.P requirement with respect to the Uniformity of Weight
12	Dolase	Twilight Litaka Pharma Ltd. Dhana Bagbanla, Nalagarh , Solan (H.P) Mfg. For : Sapients Labs, 206, Shivali Dongre Indl. Estate , Saki Naka, Andheri (E) Mumbai - 400072	DI Zone I Srinagar	SLT 027 M/D: 10/2018 E/D: 09/2020	L/DA/2019-20/420 Dated: 26.06.2019	The sample does not conform to the I.P requirements with respect to the Tests for 1. Disintegration and 2. Assay
13	Aceclodus-T	Signature Phytochemical Industries 122, Mi, Selaqui Industrial Area , Dehradun 248011 Mrk. By: Zydus Healthcare Ltd , Plot No. 1 & 2, First Floor , Sarkhej, Bavla Highway No. 8A, Sari , Patiya , Mathoda , Sanand , Ahmedabad – 382220	DI Zone I Srinagar	ZSI0001 M/D: 01/2019 E/D: 12/2020	L/DA/2019-20/422 Dated: 26.06.2019	The sample does not conform to the test Uniformity of weight
14	Apex Absorbent Guaze Non Sterile as per Sch. FII (SKIMS Supply)	Apex Medivision Industry Gaushala Road Safidon – 126112 Haryana (India)	DI Zone III Srinagar	GA245N M/D: 03/2019 E/D: 02/2024	L/DA/2019-20/377 Dated: 15.06.2019	The sample does not comply to the tests Absorbancy and weight in g/m <sup>2</sup>
15	Primaquine Phosphate tablets IP 2.5 mg  (Hospital Supply – Not for Sale JKMSCL Procurement). Confirmed from DI concerned	Jackson laboratories Pvt. Ltd, Majitha Road, Bye Pass, Amritsar – 143001 (India)	DI Anantnag (HQ)	T-17648 M/D: 08/2018 E/D: 07/2020	LSD/RDTL/1722/18-19 Dated: 16.05.2019	The sample does not conform to claim as per IP 2018 in respect to the (Primaquine Phosphate calculated as Primaquine) and the Assay of Primaquine Phosphate calculated as Primaquine
16	ADIFLAM-PLUS	Lesanto Laboratories , Plot No. 9,10,11 & 20, Survey No. 53, Palghar, 401404 Mrk. By: Leben Life sciences Pvt. Ltd. Regd. Office Plot No. C-20/1 & C-21 –Phase –III, M.I.D.C, Akola – 444104 (M.S) India	DI Anantnag	L204006 MD: 11/2017 ED: 10/2020	L/DA/2019-20/227 Dated: 20.05.2019	The sample does not comply to I.P requirements w.r.t “Disintegration Test”.
17	Rolled Bandages (JKMSCL Hospital Supply)	United Surgical Industries Bye Pass Batala Road, Near Varka Chowk, Amritsar - 143001	DI Khag / Narbal	011 M/D: 12/2016 E/D: 11/2019	L/DA/2019-20/375 Dated: 15.06.2019	The sample does not comply to the tests a) Threads/dm b) Weight in g/m <sup>2</sup> .
18	Telmisartan & Amlodipine Besilate Tablets IP ( Jan Ashudi Supply)	Finecure Pharmaceuticals Ltd Shimla Pistaar, Kicha Udhsing Nagar 263148 Mfd for Bureau of Pharma Public Sector undertakings of India (BPPI) Videocon Tower, 8 <sup>th</sup> Floor E-1, Jhandewalan Extension , New Delhi 110055	DCO Tral /Awantipora	Batch No.: TATB9004 Mfg Date: 02-2019 Exp Date: 01/2021	L/DA/2019-20/562 Dated: 17-07-2019	The Drug sample fails in Description of Tablets

19	SAPOF 200	Shri Sai Balaji Pharmatech Pvt Ltd 20, Ext HPSIDC Indl. Area, Baddi Mrkt by: Sapiens Labs904-A, First Floor , Indl Area Phase II, Chandigarh 160002	DCO Zone I Srinagar	SSB-1516 M/D: 10/2018 E/D: 09-2020	L/DA/2019-20/5463 Dated: 17/07/2019	The contents of Cefpodoxime in the sample are found less than the claim made
20	Amoxicillin Capsules IP 250mg JKMSCL Supply	Bharat Parentals Ltd Vill. Haripur, Salvi Distt Vododra 391520 Gujrat	DCO Anantnag	PC9005 M/D 03-2019 ED: 02-2021	L/DA/2019-20/564 Dated 18-07-2019	The contents of Amoxicillin in the sample are found less than the claim made
21	Astofen-SP	Ultra Drugs Pvt Ltd Manpura Nalagarh Distt Solan HP	DCO Zone III Jammu	UDT-8902A M/D: 11/2018 E/D: 10-2020	CFDL/J/2019-20/330 Dated: 15/07/2019	The sample fails in assay of Aceclofenac
22	Zee- Spas	Supermax Laboratories 40 Pharma City Selaqui Indl. Area Dehradun 248011 Mrkt by: Kee Pharma Ltd Unit 531, 5 Floor Para Trade Center, Gwal Pahari, Gurgoan Faridabad Highway Gurgoan 122003	DCO Anantnag	ZSP18-08 M/D:09-2018 E/D: 08-2021	L/DA/2019-20/591 Dated: 20-07-2019	The contents of the Dicyclomine HCl in the sample are found less than the claim made. Also the sample does not comply to Dissolution test wrt Dicyclomine Hydrochloride
23	Ceftriaxone & Tazabactam for inj. Vet	M/s Sarevear Phramaceuticals ind estate Dehradun	DCO ( Zone III Jammu	SP 55102 06-2019 05-2021	CFDL/J/2019-20/498 26-08-2019	<b>SAMPLE FAILS IN PARTICULATE MATTER , CLARITY AND IS MISBRANDED</b>
24	Acucet M Tablets	Maxtar Biogenetics, KNo 705, Nalagarh Road Malku Mjara Baddi 173205	DCO Reasi	METRJI803 11-2018 10/2020	CFDL/J/2019-20/712 27.09.2019	<b>Fails in Assay and is misbranded</b>
25	Waloxim 500	Shri Sai Balaji Pharmatech Pvt Ltd Baddi	DCO Ramban	SSB 2276 01-2019 12-2020	CFDL/J/2019-20/586 06.06.2019	<b>Fails in Assay and Dissolution</b>
26	PANTRIT-D	Aan Pharma Pvt. Ltd. 816/1, Rakanpur, Tal. Kalol, Dist. Gandhinagar , Gujarat (India)	DCO Kupwara (HQ)	T415 M/D: 12/2018 E/D: 11/2020	L/DA/2019-20/810 Dated: 30.09.2019	The sample fails in the test Description of Tablets
27	NEO-CHLORANTON	Athens Life Sciences Mauza, Rampur , Jattan , Nahan Road, Kala Amb Dist. Sirmour HP 173030 Mfd. For: Remedies Pharmaceuticals (India) Pvt. Ltd 107, A & B Aradhana Bhawan , Azadpur, comm. Complex Delhi 110033	DCO Pulwama HQ	FT18-405 M/D: 06/2018 E/D: 05/2020	L/DA/2019-20/817 Dated: 10.10.2019	“All the contents in the sample are found less than the claim made”.  Viz Paracetamol , Phenylephrine Hcl, Caffeine & Diphenhydramide Hcl as 33 % , 77 % , 45% & 44 % respectively.
28	Rolled Bandage (Hospital Supply Not for Sale )	Pearsons Chemicals Corporation , S-A, Murari Puram , Behind Amarpali Cinema , Meerit-2	DCO Bandipora	693 M/D: 08/2018 E/D: 3 years from Mfg. date	L/DA/2019-20/906 Dated: 22.10.2019	The sample fails in below mentioned parameters a) Threads per dm (warp) b) weight g/m <sup>2</sup>
29	Sucrazed-O Suspension	Ultram Life Sciences Khasra No. 26, Shiv Ganga Ind. Estate , Lakeshwari Bhagwanpur, Roorkee – 247667 , U.K (India)	DCO Kupwara (HQ)	ULL-1855 M/D: 09/2018 E/D: 08/20	LSD/RDTL/0407/19-20 Dated: 30.09.2019	The sample does not conforms to claim as per Patent & Proprietary in respect to the Assay of Sucralfate.