Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Clafril -1.2 Injection	M/s Ultra Drugs Pvt. Ltd., Manpura, Nalagarh, Solan (HP)	DI, Srinagar Zone-IV	UDD-1342D	CFDL/J/2012-13/08 Dated 09.04.2012	Sample fails in the test for Particulate matter.
Trixim-SB-1.5 Gm Injection	M/s Knox Life Sciences, Village Gullarwala, Sai Road, Baddi, Solan (HP)	DI, Baramulla (HQ)	AS-175	CFDL/J/2012-13/06 Dated 09.04.2012	Sample fails in the test for Particulate matter.
Monocef-1gm Injection	M/s Aristo Laboratories Pvt. Ltd., Survey No. 3785/3, Kunbar Fulia, Village Dhabel, Nani, Daman-396210 (UT)	DI, Anantnag	016B271	CFDL/J/2012-13/11 Dated 09.04.2012	Sample fails in the test for clarity of Solution.
Warzone SF 1.5 Injection	M/s Arion Healthcare, Village Kishanpura, Baddi, Solan, 174101 (HP)	DI, Srinagar Zone-IV	BI-298	CFDL/J/2012-13/07 Dated 09.04.2012	Sample fails in the test for Particulate matter.
Cetceff-1000 Injection	M/s Prosperity 6 Pharmaceuticals, Plot No. 23, EPIP, Phase-II, Baddi- 173205 (HP)	DI, Baramulla (HQ)	CX1052-A	CFDL/J/2012-13/36 Dated 11.04.2012	Sample fails in the test for clarity of Solution.

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Trialex - 1000 Injection	M/s Sarvear Pharmaceuticals U.A., C-7, Sara Industrial Estate, Village Rampur, Selaqui, Dehradun (Uttarakhand)	DI, Baramulla (HQ)	110211	CFDL/J/2012-13/30 Dated 11.04.2012	Sample fails in the test for Particulate matter and in the test for clarity of Solution.
Cefaxil – 500 Injection	M/s Laben Laboratories Pvt. Ltd., Office: 11, Mahavir Mansion, 70 Trinity Street, Mumbai – 400 002, India. At: 5, 6, Khokhani Industrial Complex No.: 2, Sativali Vasai (E), District Thane, India	DI, Ramban	1A-3211	CFDL/J/2012-13/45 Dated 19.04.2012	Sample fails in the test for Particulate matter.
Cefaxil – 500 Injection	M/s Laben Laboratories Pvt. Ltd., Office: 11, Mahavir Mansion, 70 Trinity Street, Mumbai – 400 002, India. At: 5, 6, Khokhani Industrial Complex No.: 2, Sativali Vasai (E), District Thane, India	DI, Ramban	1A-6410	CFDL/J/2012-13/44 Dated 19.04.2012	Sample fails in the test for Particulate matter.
Surgical Bandage	M/s Life Line Healthcare, IGC Phase-II, Samba (J&K)	DI, Kathua	4B	CFDL/J/2012-13/66 Dated 24.04.2012	Sample fails in the test for Fluorescence, Wrap & Weft.
Duflox - OZ	M/s Ultra Chiron Pharmaceuticals Pvt. Ltd., Industrial estate, Mohali	DI, Doda	DFX-4112	CFDL/J/2012-13/78 Dated 26.04.2012	Sample fails in Description, Uniformity of Weight and Disintegration Test for Tablets.

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
V-DEX	M/s Anphar Organics Pvt. Ltd, SIDCO, Kartholi, Bari Brahmana, Jammu	DI, Udhampur (HQ)	VDX-902	CFDL/J/2012-13/94 Dated 28.04.2012	Sample fails in the Assay of Dexamethasone i.e. 85.20 % of the claim made.
Ceftrix-S 375 mg Injection	M/s Ultra Drugs Pvt. Ltd., Manpura, Nalagarh, Solan (HP)	DI, Reasi	UDD-1213H	CFDL/J/2012-13/101 Dated 30.04.12	Sample fails in the test for clarity of Solution.
Megadex 2 ml Injection	M/s B. M. Pharmaceuticals, Industrial Area- II, Chandigarh.	DI, Handwara	V9351	CFDL/J/2012-13/99 Dated 30.04.2012	Sample fails in the test for Particulate matter.
Synabron-DC Syrup (100 ml)	M/s Concept Pharmaceuticals Ltd., A-28/3, M.I.D.C. Chikalthana Aurangabad, Maharashtra State.	DI, Pulwama	C1001	L/DA/2012-13/90 Dated:- 30.04.2012	The sample fails in Description.
Panteva-40 Tabs.	M/s Geneva Biocare, SCF 490, 1 <sup>st</sup> Floor, M. Market, Mani Majre,Chandigarh- 160 101	DI, Awantipora/Tral	TT06-01	L/DA/2012-13/92, Dated: 30.04.2012	The Sample fails in the Disintegration Test.
Energic-31 Capsule	M/s Ayurved Vikas Sansthan, C-83, Gandhi Nagar, Moradabad (UP)	DI, Z-I, Jammu	1060	CFDL/J/2012-13/140, Dated: 11.02.2012	The Sample is Adulterated due to presence of Steroids Prednisolone

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
U-Like Capsules	M/s Unico Pharmaceuticals, Ludhiana (Punjab) - 141008	DI, Z-I, Jammu	UL-133	CFDL/J/2012-13/141, Dated: 11.05.2012	The Sample is adulterated with Steroid i.e. Prednisolone".
Levon (Vet) Suspension 1 Ltr.	M/s Dose Remedies, (Animal Health Division)-70, Industrial Estate, Zainakote, Srinagar- 190012 (India)	DI, Zone-IV, Jammu	L-101	CFDL/J/2012-13/161, Dated: 15/05/2012	The Sample fails in the Assay of Oxyclozanide which is found to be 3.92% w/v i.e. 65% in the sample.
Absorbent Cotton Wool IP	M/s Supreme Surgicals Vill Dharp Jammu	DI Jammu	15	CFDL/J/2012-13/265 Dated: 08/06/12	Sample fails in Absorbency, Neps,& Sulphated Ash
Curecef 1000 Injection	M/s R.H. Laboratories, Opp. Gondur Industrial Area, Poanta Sahib H.P	DI, Srinagar (Zone IV)	RHI-05/54	L/DA/2012-13/202 Dated: 14/06/2012	The sample fails in the test "Particulate Matter"
Fluthrin Solution	M/s Ethicare Laboratories, 15-Industrial Estate, Jammu	DI, Srinagar (Zone VI)	E1103116	L/DA/2012-13/195 Dated: 12/06/2012	The Contents of the Flumethrin in the sample is found less i.e. 63.49 % of the claim made
Faradol-D	M/s Signit Laboratories Pvt. Ltd Gobind Nagar Hambran Ludhiana	DI, Anantnag	ST-201	L/DA/2012-13/219 Dated: 23/06/2012	Sample fails in Description.

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Handloom Cloth Rolled Bandage (12 Rolled) Unsterilized	M/s Sundaram Surgical, Chatrapatti, Distt. Virudunagar, Tamil Nadu	DI, (Zone I ) Srinagar	30	L/DA/2012-13/293, Dated:11.07.12	Fails in Threads per dm, Weight in gm/m2, length & width.
Histodan - Z	M/s Saar Biotech, CEDL/L/2012-13/358		Fails in description as heavy metals suspended particles are observed in the suspension.		
Ampicillin Injection I.P	M/s Vivek Pharmachem (India) Ltd, Bari Brahmana J&K	DI, (Zone I ) Srinagar	ASIJ12001	CFDL/L/2012-13/368 Dated:16.07.k12	Fails in the test for Particulate matter.
Cardigard Plus Tablet	M/s Medicare Remedies Pvt. Ltd. Kalol, Teh & District Una H.P	DI, Rajouri	MCRT110	CFDL/J/2012-13/371 Dated:16.07.12	Fails in the test for Uniformity of weight of tablets
Robond-20 Tablet	M/s Sunvet Healthcare, Poanta Road, Distt. Sirmour H.P	DI, (Zone VI ) Jammu	RBD-2282	CFDL/J/2012-13/386 Dated: 20.07.12	Fails in the Assay of Rabeprazole
Curecef 1000 Injection	M/s RH Laboratories, Poanta Sahib H.P	DI, (Zone IV ) Srinagar	RHI/03/63	L/DA/2012-13/313, Dated: 21.07.12	Fails in test for Particulate matter
Curecef 1000 Injection	M/s RH Laboratories, Poanta Sahib H.P	DI, (Zone IV ) Srinagar	RH I-11/07	L/DA/2012-13/314, Dated: 21.07.12	Fails in test for Particulate matter

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Synacid Suspension	M/s Alliance Biotech, Village Katha, Baddi, District Solan, H.P 173205	DI, Pulwama/Keller	AL-765	L/DA/2012-13/350, Dated: 30.07.12	Fails in the Description as per the universal definition of Pharmaceutical batch.
Standard Handloom Rolled Bandage (11 Rolled) Non- sterilized	M/s Standard Surgical Dressing Co., Dhampur Road, Kanth-244 501 (Moradabad) U.P.	DI, (Zone -V ) Srinagar	035	L/DA/2012-13/349, Dated: 30.07.12	Fails in Threads per dm, Weight in gm/m2, length & width.
Dolar 60 ml. Syrup	M/s Rivpra Formulations Pvt. Ltd., SIDCUL, Haridwar-249403 (U.K)	DI, Anantnag	8563	L/DA/2012-13/351, Dated: 30.07.12	Sample fails in the Assay of Phenylepherine HCl (80.09% of the claim made) and in the Assay of Bromohexine HCl (60.80% of the claim made). The Sample also fails in Description
Rebol-DM Tabs.	M/s Biosearch Organics, DIC, Industrial Estate, Govindsar, Kathua- 184104	DI, (Zone VI ) Srinagar	1960	L/DA/2012-13/348, Dated: 30.07.12	Fails in the Description as well as in Assay of Rabeprazole (65.21% of label claim made)
Safti 2ml Sterile Hypodermic Syringe.	M/s Sangam Healthcare Products Ltd., S. No. 182, Yallampet, Medchal, R.R. Dist, A.P. India	DI, Kathua	11K31301	CFDL/J/2012-13/830, Dated 05.11.2012	The sample fails in Sterility test
One Inject (2 ml) Sterile Hypodermic Syringe	M/s Time Technoplast Ltd., Unit V, Plot No. 232, HPSIDC Industrial Area, Baddi, Distt. Solan, HP-173205, India	DI, Kathua	3001101R2	CFDL/J/2012-13/829, Dated 05.11.2012	The sample fails in Sterility test

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Medmol Suspension,	M/s R.P. Biotech Pvt Ltd, 61, Industrial Focal Point, Batala A.O C- 36, Hariom Nagar, Path – 111D, Cabin Sabarmati, Ahmedabad - 19	DI, Samba (HQ)	7950	CFDL/J/2012-13/733, Dated 08.10.2012	Sample fails in Assay for Paracetamol (73.28% of the claim made)
Decalvit Suspension	M/s Biosearch Organics, D.I.C, Indl. Estate, Govindsar Kathua- 184104	DI, Pulwama	BL-1640	L/DA/2012-13/582 Dated: 13/10/2012	Sample fails in "Description" due to cake formation
Amlonor -5,	M/s Polo Pharmaceutical Pvt. Ltd., 200 HPSIDC Industrial Area Baddi – 173 205	DI, Ramban	PTD-00962	CFDL/J/2012-13/748, Dated: 15.10.2012	Sample fails in Assay (131.65% of the claim made) and is Misbranded as Amlodipine has not been shown Official in I.P on label
Mucomin Plus Expectorant	M/s Arion Healthcare, Village Kishanpura, Baddi, Distt. Solan-174101 (H.P)	DI, (Zone II) Srinagar	C2-925	L/DA/2012-13/621, Dated: 22/10/2012	Sample fails in Description
Inacof - PD Cough Syrup	M/s Symbiosis Pharmaceuticals Pvt Ltd, Suketi Road, Kala-Amb, District, Sirmour (HP) 17330	DI, (Zone II) Srinagar	SPL-207	L/DA/2012-13/623, Dated: 22/10/2012	Sample fails in Description
Serpidase DP Tablet	M/s Nil Marketed by (AHL) Adroit Healthcare Pvt ltd, II Jaldhara complex Surdharan Circle Memnagar Ahmadabad. 52	DI, Anantnag	SPT-1388	L/DA/2012-13/660, Dated 03/11/2012	The Sample fails in the test Description and Manufacturing Address is not mentioned on the Label of the Strip, hence Misbranded.
Superex Rolled Bandages	M/s Everest Laboratories, 3-1, Jaun Nagar, Meerut City	DI, (Zone I/III) Jammu	SX-008	CFDL/J/2012-13/887, Dated: 24.11.2012	Sample fails in Threads per dm & length

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Alonac Plus Tablet	M/s Sunvet Healthcare Village Shambhuwala, Poanta Road, District Sirmour, Himachal Pradesh- 173001	DI, Doda	NIT-2548	CFDL/J/2012-13/907, Dated: 29.11.2012	Sample fails in the Assay Content for Paracetamol (61.35% of the claim made).
Standard Handloom Rolled Bandage (Non- Sterilized)	M/s Standard Surgical Dressing Co., Dhampur Road, Kanth-Moradabad, U.P 244501	DI, (Zone III ) Srinagar	036	L/DA/2012-13/743 Dated 30.11.2012	Sample fails in the tests for Warp, Length & Width and Weight in gm/m <sup>2</sup>
Jumbo Brand Handloom Rolled Guaze ( Non Sterilized)	M/s J.K. Bandage Industries, Gangyal Jammu	DI, Pulwama	72	L/DA/2012-13/719 Dated 27.11.2012	Sample fails in Threads per dm (Warp, Weft)
Handloom Rolled Gauze (Non- Sterilized) Quality= DLX	M/s Avon Weaving Factory, Surgical Dressing Department, Kanth- Moradabad, U.P 244501	DI, Pulwama	11	L/DA/2012-13/741 Dated 30.11.2012	Sample fails in Threads per dm (Warp, Weft) and Size (Length & Width) and also Expiry Date is not mentioned on the Label
Handloom Rolled Gauze (Non- Sterilized), Quality = ALX	M/s Avon Weaving Factory, Surgical Dressing Department, Kanth- Moradabad, U.P 244501	DI, Pulwama	11	L/DA/2012-13/739 Dated 30.11.2012	Sample fails in Threads per dm (Warp, Weft) and Size (Length & Width) and also Expiry date is not mentioned on the label
Pythene M Suspension,	M/s Aspen Lifesciences, Plot No. 29, Verka-Valla By Pass, Amritsar- 143501	DI, Doda	A-1976	CFDL/J/2012-13/974, Dated 17.12.2012	Sample fails in Assay of Mefanamic Acid (66.0 % of the claim made).
Synabron Expectorant	M/s Concept Pharmaceuticals Ltd, – A/28, MIDC, Chikalthana, Aurangabad – 431006, At: A-14, MIDC, Waluj, Aurangabad (M.S)	DI, Pulwama/Keller	D-1004	L/DA/2012-13/772, Dated: 13.12.2012	Sample fails in Description.

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Dispo - Care Handloom Rolled Bandage (Un- Sterilized)	M/s Ujala Surgical, Kanth-Moradabad, U.P 244501	DI, Ganderbal	078	L/DA/2012-13/756 Dated: 13.12.2012	The Sample fails in the tests for Threads pr dm, Length & Width and Weight in g/m <sup>2</sup> and also Expiry Date is not mentioned on the Label.
Ceftriaxone Injection	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, (Zone IV) Srinagar	СЕІЛ2002	L/DA/2012-13/745, Dated: 11.12.2012	The label doesnot state the amount of diluent to be used to attain a specific concentration of the Active ingredient
Lelock-20 Tablet	M/s Jackson Laboratories (P) Ltd., Majitha Road, Bye Pass, Amritsar	DI, R.S. Pora	T-9609	CFDL/J/2012-13/1052, Dated: 11.01.2013	Sample fails in the Assay of Rabeprazole Sodium (47.04% of the claim made) and Rabeprazole Sodium as well as Rabeprazole Sodium Tablet are not shown Official on the label whereas both are Official in IP, 2010, hence Misbranded
Sneeze Go 60ml Suspension	M/s Zee Laboratories, Behind 47 Industrial Area, Poanta Sahib, 173 025	DI, Kathua	ZDL-137	CFDL/J/2012-13/1137, Dated: 08.02.2013	Sample fails in Description and in Assay of Paracetamol (59.88% of the claim made).
Aceflex - P 60ml Suspension	M/s Zee Laboratories, Behind 47 Industrial Area, Poanta Sahib, 173 025	DI, Kathua	ZDL-883	CFDL/J/2012-13/1138, Dated: 08.02.2013	Sample fails in the Assay of Paracetamol (78.73% of the claim made)
Zone Injection	M/s R.H. Laboratories, Opposite Gondpur Industrial Area, Poanta Sahib (HP)	DI, Jammu (Zone IV, HQ)	RHI-03/61	CFDL/J/2012-13/1153, Dated: 12.02.2013	Sample shows Particulate Matter in reconstituted solution
Sodium Phosphate Enema BP	M/s Pharma Asia Drug, 20 -21 Panchal Compound, Survey No.: 78 / 1, Patwari Halka No.: 17, New 45, Gram Lasudia Mori, Indore	DI, Udhampur (HQ)	EN-12	CFDL/J/2012-13/328, Dated: 29.06.2012	Sample fails in the Assay of Sodium Acid Phosphate (72.96% of the claim made) and the Label on the outer Carton differs from the Label on the PVC pouch

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Panto Injection	M/s Aarge Drugs Pvt. Ltd., 5, Sector – 1, Parwanoo – 173 220	DI, Ramban	PN-178A	CFDL/J/2012-13/1258, Dated: 16.03.2013	Sample fails in the test for Particulate Matter
Metronidazole Tablets I.P.	M/s U.V. Pharmaceuticals, Krishan Nagar, Batala road, Amritsar	DI (HQ), Kathua	1573	CFDL/J/2012-13/1304, Dated: 25.03.2013	Sample fails in Assay of Metronidazole (29.67% of the claim made)
Hydrogen Peroxide Solution IP 100ml	M/s Nice Pharmaceuticals Pvt. Ltd., 297, Phase IV, HSIIDC, Kundli Industrial Area, Sonepat	DI, Kangan / Lar	23	L/DA/2012-13/1013, Dated: 25.03.2013	Sample fails in the Assay of Hydrogen Peroxide (2.67% of the claim made).
Maximizin 625 Tablet	M/s Affy Parenterals, Village Gullerw, P.O. Baddi, District Solan – 173 205 (HP)	DI, Srinagar, Zone-VI	PBT-1583	L/DA/2012-13/1012, Dated: 25.03.2013	Sample fails Identification Test and in the Assay of Amoxycillin (Content of Amoxycillin found Nil).
Standard Handloom Rolled Bandage	M/s Standard Surgical Dressing Co., Dhampur Road, Kanth – 244 501 (Moradabad) UP	DI, Srinagar Zone-III	034	L/DA/2012-13/757, Dated: 13.12.2012	Sample fails in the Test Weight in $g/m^2$ .
Lotus Brand Handloom Rolled Guaze	M/s J.K. Bandage Industries, Gangyal, Jammu J&K	DI, Pulwama	82	L/DA/2012-13/1056, Dated: 29.03.2013	The Sample fails in Threads per dm (Warp & Weft), Length & Weight in $g/m^2$
Gepine Tablet	M/s Grampus Laboratories, (An ISO 9001: 2000 & GMP Certified Co), Johro Industrial Area, Kala Amb, District Sirmour (HP)	DI, Anantnag	GLT-120710	L/DA/2012-13/1053, Dated: 29.03.2013	Sample fails in Uniformity of Weight

S.No.	Year	Total Sub Standard Drugs	Misbranded	Adulterated	Sub Standard	Prosecutions Launched
1.	2012 -13	87	24	02	61	40