Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Medkof-AG Syrup	M/s Ratchet Laboratories Ltd., Baghbania, Baddi – Nalagarh Road, Nalagarh – 174 101, District Solan (HP)	DI, Kangan / Lar	ARMD001	L/DA/2013-14/25, Dated: 15.04.2013	Sample fails in Description.
Voyclav - 625 Tablet	M/s Orchid Biotech (P) Limited, (A Division of SRF India (P) Ltd, an ISO 9001: 2008 & GMP Certified Co) 65, Peerpura – Delhi Highway, Roorkee – 247 667 (UK)	DI, Kulgam	OTB-182	L/DA/2013-14/91, Dated: 26.04.2013	Sample fails in the Assay of Amoxycillin (70.52% of the claim made) and in Description.
Cyano Iron Tablets (Hospital Supply)	M/s Cyano Pharma (P) Ltd., 115-C, Industrial Estate Polo ground, Indore – 452 015	DI, Ramban	CI-L01	CFDL/J/2013-14/79, Dated: 27.04.2013	Sample fails in Uniformity of Weight.
Absorbent Cotton Wool (Hospital Supply)	M/s Om Surgical Industries, V & P.O. Titoli Jind Road, Rohtak 124 001, Haryana	DI, Srinagar, Zone-I	1133	L/DA/2013-14/95, Dated: 29.04.2013	Sample fails in 1. Description 2. Absorbency (Sinking Time) 3. Fluorescence and 4. Packaging
Curecef-1000 (Hospital Supply)	M/s R.H. Laboratories, Opposite Gondpur Industrial Area, Paonta Sahib (HP)	DI, Doda (HQ)	RHI-11/05	CFDL/J/2013-14/69, Dated: 27.04.2013	Sample fails in Particulate Matter.
Rolled Bandage (Hospital Supply)	M/s Acme Surgicals, 53, Umesh Vihar, Transport Nagar, Meerut- 250002 India	DI, Pulwama / Keller	20	L/DA/2013-14/136, Dated: 02.05.2013	Sample fails in Threads/dm, Width and Weight in g/m ²
Rolled Bandage (Hospital Supply)	M/s Acme Surgicals, 53, Umesh Vihar, Transport Nagar, Meerut- 250002 India	DI, Srinagar Zone-I	20	L/DA/2013-14/134, Dated: 02.05.2013	Sample fails in Threads/dm, Width and Weight in g/m ²
Rolled Bandage (Hospital Supply)	M/s Acme Surgicals, 53, Umesh Vihar, Transport Nagar, Meerut- 250002 India	DI, Bandipora	20	L/DA/2013-14/135, Dated: 02.05.2013	Sample fails in Threads/dm, Width and Weight in g/m ²
Rolled Bandage (Hospital Supply)	M/s Acme Surgicals, 53, Umesh Vihar, Transport Nagar, Meerut- 250002	DI, Srinagar Zone IV	20	L/DA/2013-14/133, Dated: 02.05.2013	Sample fails in Threads/dm, Width and Weight in g/m ²

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Valpromed- 200 Tablets (Hospital Supply)	M/s Protech Biopharma Pvt Ltd., Plot No. 4/48 1 & 4/49 1, Zone-I, SIDCO Industrial Growth Centre, Lassipora, Pulwama – 192 305 J&K, India	DI, Srinagar (Zone-II)	T-031 M/D: 06/2012 E/D: 05/2015	L/DA/2013-14/151 Dated: 02.05.2013	The Sample fails in 1. Description 2. Disintegration 3. Due to sticky nature of the Tablets, Assay could not be performed.
Valpromed 200 Tablet (Hospital Supply)	M/s Protech Biopharma Pvt Ltd., Plot No. 4/48 1 & 4/49 1, Zone-I, SIDCO Industrial Growth Centre, Lassipora, Pulwama – 192 305 J&K, India	DI, Ganderbal	T-031 M/D: 06/2012 E/D: 05/2015	L/DA/2013-14/152 Dated: 04.05.2013	The Sample fails in 1. Description 2. Disintegration 3. Due to sticky nature of the Tablets, Assay could not be performed.
Vidin Ointment (Povidone Iodine Ointment U.S.P) 250 gm (Hospital Supply)	M/s Zee Laboratories, 47, Industrial Area Poanta Sahib- 173025.	DI, Srinagar (Zone-II)	8099 M/D: 03/2013 E/D: 02/2015	L/DA/2013-14/132 Dated: 02.05.2013	As per USP monograph of Povidone Iodine ointment' the ointment should be water soluble, Hence, due to insolubility in water, the above mentioned tests were not possible.
Acepar Tablet	M/s Euro Formulations Pvt. Ltd., 87, Industrial Area, Malanpur – 477 117 (MP)	DI, Jammu (Mfg / Zone- I)	EAR-101 M/D: 07/2012 E/D: 06/2014	CFDL/J/2013-14/155, Dated: 03.05.2013	Sample fails in the Assay of Paracetamol (75.18% of the claim made).
Handloom Cloth Rolled (Hospital Supply)	M/s Sundaram Surgical, 63A, B, C/8 Srivilliputur Road, Sankarapandia, Puram Chatrapatti – 626 102 Tamil Nadu	DI, Pulwama	30 M/D: 04/2011 E/D: 03/2014	L/DA/2013-14/175, Dated: 07.05.2013	Sample fails in 1. Threads per dm (Warp. Weft) 2. Size (Length & Width) 3. Weight in g/m ² ".
Handloom Cloth Rolled (Hospital Supply)	M/s Sundaram Surgical, 63A, B, C/8 Srivilliputur Road, Sankarapandia, Puram Chatrapatti – 626 102 Tamil Nadu	DI, Pulwama	33 M/D: 04/2011 E/D: 03/2014	L/DA/2013-14/176, Dated: 07.05.2013	Sample fails in 1. Threads per dm (Warp. Weft) 2. Size (Length & Width) 3. Weight in g/m ² ".

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Forcin Injection	M/s MMG Healthcare (AN ISO 9001:2008 & GMP certified Co) Trilokpur Road Kala Amb, District Sirmour – 173 030 (HP)	DI, Udhampur	VM-1022D M/D:03/2012 E/D: 02/2014	CFDL/J/2013-14/208, Dated: 11.05.2013	Sample fails in test of Particulate Matter
Lefen MR Tablet	M/s Jackson Laboratories Pvt. Ltd., Majitha Road Bye Pass, Amritsar B.O. 32-33, CBD Belapur, New Mumbai.	DI, Srinagar Zone-IV	T-1491 M/D: 06/2012 E/D: 05/2015	L/DA/2013-14/187, Dated: 10.05.2013	Sample fails in test of Uniformity of Weights
Ceftriaxone Injection IP (Government Supply)	M/s Vivek Pharmachem (India) Limited, EPIP, Bari Brahmana, Jammu – 181 133 (J&K)	DI, Srinagar Zone-II	CFIJ13003 M/D: 01/2013 E/D: 12/2014	CFDL/J/2013-14/238, Dated: 18.05.2013	The Sample fails the test Clarity of Solution
Enrofloxacine Injection (Supply of SHO, J&K)	M/s Jackson Laboratories Pvt. Ltd., Bye Pass Majitha Road, Amritsar- 143004 B.O. 32-33, C.B.D Belapur, New Mumbai.	DI, Srinagar Zone-VI	I-2112 M/D: 09/2012 E/D: 08/2014	CFDL/J/2013-14/237, Dated: 18.05.2013	The Sample fails in Description and in Particulate Matter
Vidin Ointment 250gm (Hospital Supply)	M/s Zee Laboratories, 47, Industrial Area, Paonta Sahib – 173 025	DI, Srinagar (HQ)	8092, M/D: 09/2012, E/D: 08/2014,	L/DA/2013-14/250, Dated: 20.05.2013	As per the USP monograph of 'Povidone Iodine Ointment' the Ointment should be water soluble. Hence due to its insolubility in water, the above mentioned tests were not possible
Rolled Bandage (Government Supply)	M/s Acme Surgicals, 53, Umesh Vihar Transport Nagar, Meerut, 250002, India	DI, Pulwama	017 M/D: 08/2012, E/D: 3 Years after M/D	L/DA/2013-14/252, Dated: 20.05.2013	Sample fails in 1. Threads/dm (Warp, Weft) 2. Size (Length, Width) 3. Weight g/m ²

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
PZ-D Capsules	M/s Eaton Laboratories, 40, Industrial Estate, Zainakote, Srinagar 190 012	DI, Mfg, Kashmir	9081 M/D: 05/2012 E/D: 04/2014	L/DA/2013-14/249, Dated: 20.05.2013	The Sample fails in 1. Disintegration 2. Description as (Pantoprazole Sodium should be in the form of Enteric Coated Granules in the Capsule Shell) also Domperidone Maleate has not been shown Official".
Absorbent Cotton Wool IP (Hospital Supply)	M/s Samrat Surgicals Pvt. Ltd., SIDCO Industrial Complex, Bari Brahmana, Jammu	DI, Srinagar (HQ)	75 M/D: 01/2013, E/D: After 5 Years	L/DA/2013-14/246, Dated: 20.05.2013	Sample fails in 1. Description 2. Absorbency (Sinking Time)
Vidin Ointment 250gm (Hospital Supply)	M/s Zee Laboratories, 47, Industrial Area, Paonta Sahib – 173	DI, Srinagar (HQ) Retail	8095 M/D: 12/2012, E/D: 11/2014,	L/DA/2013-14/251, Dated: 20.05.2013	As per the USP monograph of 'Povidone Iodine Ointment' the Ointment should be water soluble. Hence due to its insolubility in water, the above mentioned tests were not possible
Metonorm Injection IP 2ml	M/s Ethicare Laboratories, 15, Industrial Estate,	1. DI, Jammu Zone I / II 2. DI,	EL-120913	1. CFDL/J/2013-14/247, Dated: 22.05.2013	The Sample fails in Particulate Matter.
(J.K.H. Supply)	Digiana, Jammu 180	CDSCO, Sub Zone Jammu	M/D: 09/2012, E/D: 08/2014,	2. 32-20/2013-SS/DCA(J)- 59/744 Dated: 09.05.2013	2. The Sample fails in Description and Particulate Matter
Ampicillin Injection IP (Government Supply)	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Jammu Zone I / III	ASIJ12010 M/D:10/2012 E/D:03/2014	CFDL/J/2013-14/268, Dated: 27.05.2013	The Sample fails in Particulate Matter
Emlo-A Tablet	M/s Eaton Laboratories, 40, Industrial Estate, Zainakote, Srinagar – 190 012	DI, Bijbehera	9159 M/D: 01/2013 E/D: 12/2015	L/DA/2013-14/302, Dated: 30.05.2013	The Sample fails in the Assay of Amlodipine Besylate (70.90% of the claim made)".
Emlo-A Tablet	M/s Eaton Laboratories, 40, Industrial Estate, Zainakote, Srinagar – 190 012	DI, Srinagar	9159 M/D: 01/2013 E/D: 12/2015	L/DA/2013-14/301, Dated: 30.05.2013	The Sample fails in the Assay of Amlodipine Besylate (70.18% of the claim made)".

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Hydrogen Peroxide Solution IP (JKH Supply)	M/s Biotic Pharma 64, Phase III, Industrial Extension Area, Gangyal, Jammu – 180 010	DI, Kangan / Lar	L215, M/D: 01/2012, E/D: 06/2014,	L/DA/2013-14/339, Dated: 10.06.2013	The Sample fails in the Assay of Hydrogen Peroxide (3.112% against 6% of the claim made)
Hydrogen Peroxide Solution IP (JKH Supply)	M/s Biotic Pharma 64, Phase III, Industrial Extension Area, Gangyal, Jammu – 180 010	DI, Srinagar Zone-II	L214, M/D: 01/2012, E/D: 06/2014,	L/DA/2013-14/338, Dated: 10.06.2013	The Sample fails in the Assay of Hydrogen Peroxide (3.112% against 6% of the claim made)
Pheniramine Maleate Injection IP	M/s SGS Pharmaceuticals Pvt. Ltd., 162/1, Pohana Iqbalpur Road, Nanhera, Roorkee – 247 667 (UK)	DI, Ramban	JPG-001 M/D: 07/2012, E/D: 06/2014	CFDL/J/2013-14/393, Dated: 14.06.2013	Sample fails in Particulate Matter
Zycal-K ₂ Soft Gels	M/s Affy Parenterals (WHO-cGMP / ISO 9001 : 2008 certified Co), Village Gullarwala, P.O. Baddi, District Solan – 173 205 (HP)	DI, Jammu (HQ)	PSG-1293, M/D: 12/2012, E/D: 11/2014,	CFDL/J/2013-14/392, Dated: 13.06.2013	Sample fails in Uniformity of Weight
Dynacil 500 Injection	M/s Hindustan Antibiotics Limited (A Government of India Enterprise) Pimpri, Pune 411018, At: 134-B, EPIP Phase-I, Jharmajri, Baddi District Solan HP	DI, Srinagar (HQ)	12012, M/D: 12/2012, E/D: 11/2014,	CFDL/J/2013-14/369, Dated: 10.06.2013	Sample fails in Uniformity of Weight
Ceftriaxone Injection IP (Government Supply)	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Srinagar Zone VI	CFIJ13002, M/D: 01/2013, E/D: 12/2014	CFDL/J/2013-14/406, Dated: 15.06.2013	The Sample fails in Clarity of Solution
Ceftriaxone Injection IP (Government Supply)	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Anantnag	CFIJ13002, M/D: 01/2013, E/D: 12/2014	CFDL/J/2013-14/405, Dated: 15.06.2013	The Sample fails in Clarity of Solution
Dynacil 500 Injection	M/s Hindustan Antibiotics Limited (A Government of India Enterprise) Pimpri, Pune 411018, At: 134-B, EPIP Phase-I, Jharmajri, Baddi District Solan HP	DI, Srinagar Zone-VI	12012, M/D: 12/2012, E/D: 11/2014,	L/DA/2013-14/347, Dated: 10.06.2013	Sample fails in Uniformity of Weight

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Jumbo Brand Handloom Rolled Gauze	M/s J.K Bandage Industries, Gangyal Jammu (J&K)	DI, Pulwama / Keller	84, M/D: 09/2012, E/D: After 5 years	L/DA/2013-4/335A, Dated: 10.06.2013	The Sample fails in Threads per dm (Warp)
Ampicillin Injection IP 500mg (Government Supply)	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Anantnag	ASIJ12002, M/D: 09/2012, E/D: 02/2014	CFDL/J/2013-14/407, Dated: 15.06.2013	The labeling on the Sample doesnot conform as per IP since it doesnot state the amount of diluent to be used to attain specific concentration of Active Ingredient in the solution
Ceflox – TZ Tablet	M/s Laborate Pharmaceuticals India Ltd., 51, Industrial Area, Paonta Sahib (HP)	DI, Shopian / Zainapora	JCTIT-001, M/D: 01/2013, E/D: 12/2015	L/DA/2013-14/371, Dated: 12.06.2013	The Sample fails in Uniformity of Weight
Diclofenac Potassium and Paracetamol Tablet (Hospital Supply)	M/s Haustus Biotech Pvt Ltd., 44-45 Industrial Area, Tahilwal District Una, HP	DI, Leh	HBT-460, M/D: 09/2012, E/D: 08/2014	L/DA/2013-14/370, Dated: 12.06.2013	The Sample fails in Description
Knox-200 DT Tablet	M/s Gag Pharmaceuticals (An ISO 9001: 2008 & GMP Certified Co.), Village Mubarkpur, Shaikhan, District Ludhiana, Punjab – 144 025	DI, Poonch	GT-915, M/D: 09/2012, E/D: 08/2014	CFDL/J/2013-14/429, Dated: 18.06.2013	Sample fails in the Assay (68.32% of the claim made) and the Label shows Cefixime Dispersible Tablet IP which is not Official in IP 2010, hence Misbranded
Vancomycin Hydrochloride Injection USP 500mg	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Jammu Zone I / III	VCIJ12001 M/D: 10/2012, E/D: 09/2014	CFDL/J/2013-14/457, Dated: 22.06.2013	The Sample fails in Particulate Matter.
Cefotaxime Sodium Injection IP 500mg	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Jammu Zone I / III	CTIJ12005, M/D: 06/2012, E/D: 11/2013,	CFDL/J/2013-14/458, Dated: 22.06.2013	The Sample fails in Particulate Matter
Rasix Injection IP (2ml)	M/s Ramson Remedies, 186, Industrial Focal Point, Amritsar, A.O. 2, G, Floor, Baktawar, Malabar Hill, Mumbai – 400 006	DI, Pulwama / Keller	6644, M/D: 06/2012, E/D: 05/2014	L/DA/2013-14/418, Dated: 20.06.2013	Sample fails in Particulate Matter

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Planokuf XP Expectorant Syrup 100ml	M/s Shreya Life Sciences Pvt. Ltd., 13, 14, 15, Raipur P.O. Bhagwanpur Roorkee – 247 661 UK	DI, Pulwama (HQ)	R11028108, M/D: 11/2011, E/D: 10/2013	L/DA/2013-14/385, Dated: 15.06.2013	Sample fails in Description.
Synabron - DC 100ml	M/s Concept Pharmaceuticals Ltd., A-28/3, M.I.D.C Chikalthana, Aurangabad – 431 006 (Regd. Office: 167, CST Road Santacrnz (E), Mumbai -400 098 India)	DI, Pulwama (HQ)	C2001, M/D: 01/2012, E/D: 06/2014	L/DA/2013-14/384, Dated: 13.06.2013	Sample fails in Description
Pilex Tablets 60 (Ayurvedic Medicine)	M/s The Himalaya Drug Company, Makali Bangalore- 562 123 (India)	DI, Jammu Zone I/III	37200585B, M/D: 04/2012, E/D: 3 Years from Mfg Date	CFDL/J/2013-14/516, Dated: 29.06.2013	The Sample is identifies for Steroid Prednisolone. (Adulterated)
Jumbruyog Tablets 100 Tablets (Ayurvedic Medicine)	M/s Unjha Ayurvedic Pharmacy, Station Road Unjha – 384 170, Gujarat India	DI, Jammu Zone I/III	F119, M/D: 07/2012, E/D: 5 Years from Mfg Date	CFDL/J/2013-14/517, Dated: 29.06.2013	The Sample is identifies for Steroid Prednisolone. (Adulterated)
Cflox-TZ Tablet (Hospital Supply)	M/s Vaishali Pharmaceuticals, 7 th Km Stone, Jansath Road, Muzaffar Nagar 251 001 Uttar Pradesh	DI, Leh	T-150, M/D: 09/2011, E/D: 08/2014	L/DA/2013-14/431, Dated: 29.06.2013	Sample fails in Description
Markmox – 250 DT Tablet	M/s Unimark Remedies Limited, Plot No.: 13, Industrial Township, Bhatoli Kalan, Baddi, District Solan (HP)	DI, Shopian / Zainapora	GTB-130008, M/D: 01/2013, E/D: 12/2014	L/DA/2013-14/433, Dated: 29.06.2013	Sample fails in Description.
Voligesic-S Tablet	M/s Scott – Edil Pharmacia Limited, 56, EPIP, Phase-1, Jharmajri – 173 205	DI, Shopian / Zainapora	S7521700, M/D: 12/2012, E/D: 11/2014	L/DA/2013-14/434, Dated: 29.06.2013	Sample fails in Description

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Repzole Capsules	M/s Tulbros Formulations (An ISO 9001 : 2008 & GMP Certified Company), Plot No.: 91, Sector – IIDC, IIE Pantnagar, SIDCUL, U.S. Nagar, Uttarakhand	DI, Beerwa / Khag	RPZC302, M/D: 02/2013, E/D: 01/2015	L/DA/2013-14/432, Dated: 29.06.2013	Sample fails in Disintegration Test
Esgipyrin – N 5ml Injection	M/s Zydus Animal Health limited, 737 Sola Santy Road, Ranakpur, Gandhi Nagar, Gujarat – 384 272	DI, Jammu Zone (IV / HQ)	ZAK13006, M/D: 01/2013, E/D: 12/2015	CFDL/J/2013-14/576, Dated: 15.07.2013	Sample fails in the Assay of Phenylbutazone (14.80% of the claim made) and in Sterility Test
Pantoprazole Tablet 40mg (Jan Aushadhi)	M/s Indian Drugs & Pharmaceuticals Limited (A Government of India undertaking) Virbhadra – 249 202, Rishikesh, Uttarakhand	DI, Srinagar Zone II	0003, M/D: 06/2012, E/D: 05/2014	L/DA/2013-14/520, Dated: 17.07.2013	Sample fails in Disintegration Test
Pantoprazole Injection (Government Supply)	M/s SGS Pharmaceuticals Pvt. Ltd., 162/1, Pohana Iqbalpur Road, Nanhera, Roorkee – 247 667 (UK)	DI, Srinagar Zone II	JPH-002, M/D: 08/2012, E/D: 01/2014	L/DA/213-14/470, Dated: 09.07.2013	Sample fails in the test Particulate Matter and Pantoprazole Sodium is not shown Official.
Neurosia Forte Tablet	M/s Ambrosia Pharma, 91, Industrial Estate, Zainakote, Srinagar	DI, Devsar / D.H. Pora & I/c Tehsil Kulgam	AT-434, M/D: 05/2012, E/D: 04/2015	L/DA/2013-14/469, Dated: 09.07.2013	The Sample fails in Uniformity of Weight
Ampicillin Injection IP 500mg (Government Supply)	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133(J&K)	DI, Handwara	ASIJ12003, M/D: 09/2012, E/D: 02/2014	L/DA/2013-14/479, Dated: 09.07.2013	The labeling on the Sample doesnot state the amount of diluent to be used to attain specific concentration of Active Ingredient in the solution
Marycal 500 (J&K Hospital Supply)	M/s A.K. Biotech Pvt. Ltd., Export Promotional Industrial Park, Kartholi, Jammu – 181 133	DI, Ramgarh, Purmandal Block	MMT-664, M/D: 06/2012, E/D: 05/204	CFDL/J/2013-14/592, Dated: 18.07.2013	The Sample fails in Disintegration Test
Ampicillin Injection IP 500mg (Government Supply)	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Srinagar Zone VI	AS1J12011, M/D: 11/2012, E/D: 04/2014	CFDL/J/2013-14/600, Dated: 19.07.2013	The Sample fails in Particulate Matter

Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
Vidin Ointment 250gm (Hospital Supply)	M/s Zee Laboratories 47, Industrial Area, Paonta Sahib (HP) 173 025	DI, Srinagar Zone VI	8101, M/D: 03/2013, E/D: 02/2015	CFDL/J/2013-14/602, Dated: 19.07.2013	The content of "Available Iodine" in the Sample is not found within the specified USP Limits (25.38% of the claim made).
Cefotaxime Sodium Injection IP 1000mg (Government Supply)	M/s Vivek Pharmachem (India) Ltd., EPIP, Bari Brahmana, Jammu – 181133 (J&K)	DI, Jammu HQ / Zone IV	CTIJ12002, M/D: 05/2012, E/D: 10/2013	CFDL/J/2013-14/610, Dated: 20.07.2013	The Sample fails in Particulate Matter.
Metonorm Injection IP 2ml (JKH Supply)	M/s Ethicare Laboratories, 15, Industrial Estate, Digiana, Jammu 180	DI, Jammu Zone IV / HQ	EL-130303, M/D: 03/2013, E/D: 02/2015	CFDL/J/2013-14/633, Dated: 23.07.2013	The Sample fails in Sterility
Curecef-1000 Injection (JKH Supply)	M/s R.H. Laboratories, Opposite Gondpur Industrial Area, Paonta Sahib (HP)	DI, Jammu Zone-I/III	RHI-04/06, M/D: 04/2012, E/D: 03/2014	CFDL/J/2013-14/632, Dated: 23.07.2013	Sample fails in Particulate Matter
Phena Injection (Hospital Supply)	M/s Ind Swift Limited (Unit-III), Village Malkumajra, Tehsil Nalagarh, District Solan – 173 205 (HP)	DI, Srinagar Zone II	BPNA-147, M/D: 02/2012, E/D: 01/2014	CFDL/J/2013-14/677, Dated: 26.07.2013	Sample fails in Particulate Matter and Description
Migran Tablet	M/s All Kind Healthcare, Plot No. 88-B, export Promotion Industrial Park, Phase II, Village Thana, Baddi, District Solan, 173 205 HP	DI, Pulwama (HQ)	AKT 4033, M/D: 04/2013, E/D: 03/2015	L/DA/2013-14/569, Dated: 24.07.2013	Sample fails in Description
Mariflox-OZ Tablet	M/s Bharat Organics, Shiv Shakti, Suburb Village, Rabon, District Solan – 173 211 HP	DI, Sopore / Rafiabad	BOT-470, M/D: 09/2012, E/D: 08/2014	L/DA/2013-14/570, Dated: 24.07.2013	Sample fails in Description