

**LIST OF SUB-STANDARD DRUGS IN JAMMU & KASHMIR STATE DURING THE PERIOD OF 2022-23 (till March, 2023)**

S. No.	Name of the Drug	Manufacturer	Sample Lifted By	Batch No.	Test Report No. & Date	Reasons
1	Olmisave AM-40 Tablets	Cosmas Pharmacls Ltd. Buranwala Road , Village-Kotla , P.O Barotiwala , Solan (H.P) - 174103	DCO Sopore / Rafiabab	CT11211 M/D: 12/2020 E/D: 11/2022	LSD/RDTL/1056/21-22 Dated: 30.03.2022	The sample does not conforms to claim as per Patent & Proprietary in respect to the Assay of Olmesartan Medaxomil , Amlodipine Besylate calculated as Amlodipine.
2	Rare-D	Taksa Lifesciences , E-47, Indl. Area , Focal Point , Derabassi Distt. Mohali Mrk. By : H Pharmacos Healthcare , 18, First Floor , Chowdary Complex Sector - 12A, Rally Panchkula (HR)	DCO Kulgam	TLT-2222 M/D: 12/2020 E/D: 11/2022	L/DA/2022-23/91 Dated: 18.04.2022	The sample does not conform to the I.P requirements w.r.t Disintegration test.
3	Hexomide	Upsilon Pharma Labs , IGC Lassipora , J&K 192301	DCO Mfg K	UPL155 M/D: 04/2021 E/D: 03/2024	L/DA/2022-23/120 Dated: 18.04.2022	The contents of Chlorhexidine and Cetrimide in the sample are found Nil.
4	Compound Sodium Lactate Inj I.P (JKMSCL Hospital Supply)	Pharma Impex Laboratories Pvt. Ltd , South Uttarbhadg , Ramnagar , Baruipur , , Dist. South 24PGS, WB- 743387 India	DCO Zone V Srinagar	2105B0326 M/D: 06/2021 E/D: 05/2024	L/DA/2022-23/231 Dated: 27.04.2022	The sample doesnot comply to the test for Sterility.
5	Meroin (1gm) Injection	Mfg & Mrk By : Indian Healthcare Village Raipur , P.O Deothi , Tehsil and District Solan (H.P) - 173211	Zone II Jammu	CI21080Q M/D: 05/2021 E/D: 04/2023	CFDL/J/2022-23/192 Dated: 11.05.2022	The sample fails in the tests for Uniformity of Weight and Assay Contents of Meropenem. (13.44%)
6	Compound Sodium lactate Injection I.P (JKMSCL Hospital Supply)	Pharma Impex Laboratories Pvt. Ltd South Uttarbhadg Ramnagar Baruipur Distt. South 24PGS WB-743387 India	Zone V Srinagar	2105B0334 M/D: 06/2021 E/D: 05/2024	L/DA/2022-23/307 Dated: 18.05.2022	The sample does not comply to the test for Sterility
7	Majocid Gel Suspension	Sunlifesciences 130, kurdi, Jhabrera Road , Manglour Roorkee , Distt. Haridwar (U.K) Mrk. By : Zota Healthcare Limited , Zota House 2/896 Hira Modi Street Sagrapura , Surat 395002 (Gujarat)	Ganderbal	L-20166 M/D: 11/2020 E/D: 10/2022	L/DA/2022-23/543 Dated: 17.06.2022	The sample does not conform to i.p requirement with respect to Assay of Magnesium Hydroxide & Dried Aluminium Hydroxide
8	Pica-40	Vowcare Products , Plot No. 77, Zone 4 <sup>TH</sup> , I.G.C , SIDCO, Lssipora , Distt. Pulwama (J&K) 192305 Mrk. By : Reward Pharmaceuticals, 105, Industrial Area , Phase II, Panchkula 134113	Pulwama HQ	V21T028 M/D: 02/2021 E/D: 01/2023	L/DA/2022-23/612 Dated: 23.06.2022	The sample does not conform to the IP requirements with respect to Dissolution Test.

**LIST OF SUB-STANDARD DRUGS IN JAMMU & KASHMIR STATE DURING THE PERIOD OF 2022-23 (till March, 2023)**

9	Glitip-2 Forte	Theon Pharmaceuticals Ltd . Vill. Sairi Majra , Tehsil Nalagarh, Distt. Solan (H.P) 174101 Mrk. For : IVA Healthcare Pvt. Ltd Plot No. 400, Industrial Area , Phase-I , Panchkula - 134113 , India	Bishnah/ Zone III	IVA210061 M/D: 03/2021 E/D: 02/2023	CFDL/J/2022-23/470 Dated: 24.06.2022	The sample fails in the assay contents of Glimepiride and Metformin Hydrochloride w.r.t the sample portion received.
10	PanKav-40	Comex Pharma Plot No. 158, Sec 3 Karnal Mfg. . For : KAV Laboratories 68, Tungabhadra , NGV , Koramangla Banglore 560047	Pattan / Tangmarg	COMT203 M/D: 02/2021 E/D: 01/2023	L/DA/22-23/683 Dated: 07.07.2022	The sample doesnot comply to I.P requirements with respect to Dissolution Test .
11	Potassium Chloride For Injection Concentrate U.S.P (SKIMS SUPPLY)	Ramson Remedies 186-187, Industrial Focal Point , Amritsar , A.O : 2, Ground Floor , Baktawar , Malabar Hill, Mumbai -6	Zone III Sgr	10456 M/D: 02/2022 E/D: 07/2023	L/DA/22-23/719 Dated: 13.07.2022	The sample does not comply to above mentioned tests. (Description & Sterility).
12	Folic Acid Tablets IP 5mg (JAN AUSHUDI)	ANG Lifesciences India Ltd. Village Malkumajra , Nalagarh Road , Baddi, Distt. Solan 173205 (H.P) Mfg. For : Bureau of Pharma Public Sector Undertakings of India (BPPI) , 8 <sup>th</sup> Floor , Videocon Tower, Block E-1, jhandewalan Extension, New Delhi – 110055	1. Zone III Sgr 2. Pampore	T111005 M/D: 11/2021 E/D: 10/2023	L/DA/22-23/821 Dated: 21.07.2022  L/DA/22-23/825 Dated: 22.07.2022	1. The sample is not of standard quality for the reason stated under Description.  2. The sample fails in the test Description of the tablets
13	OFLOXACIN OPTHALMIC SOLUTION IP 0.3% w/v (JKMSCL Hospital Supply)	Zee Laboratories , Behind 47 , Industrial Area , Paonta Sahib – 173025	Rajouri	Z22-164 M/D: 02/2022 E/D: 01/2024	CFDL/J-2022-23/866	The sample fails to comply with the test for pH w.r.t sample portion received.
14	Pramide	Himsagar Laboratories Limited Kheri, Trilokpur Road, Kala Amb Sirmour (H.P) Mrk. By: Altra Pharma Baroda A-2, Nirman Park , Vishwamitri Road, Baroda -11	Zone V Srinagar	HST-21-383 M/D: 08/2021 E/D: 07/2023	L/DA/22-23/1388 Dated : 25.10.2022	The sample fails in Disintegration test.
15	ACTO FLOX-OR	Shiv Industries , Old Gas Godown , Village Ambola Sector 5 , Parwanoo Distt. Solan H.P 173220 Mfd. For : Fitwel	Budgam HQ	ST-6236 M/D: 05/2022 E/D: 04/2024	L/DA/2021-22/1455 Dated : 09.11.2022	The given drug sample does not comply to the IP requirements with respect to disintegration Test.

**LIST OF SUB-STANDARD DRUGS IN JAMMU & KASHMIR STATE DURING THE PERIOD OF 2022-23 (till March, 2023)**

		Pharmaceuticals Pvt. Ltd. M.I Estate , G.D Ambedkar Marg, Wadala, Mumbai – 400 031				
16	Lecoxib-P	Legen Healthcare , Plot No. 20, Sector-5, Parwanoo, Distt. Solan (H.P) - 173220	Zone IV Jammu	TX-15899 M/D: 12/2021 E/D: 11/2023	CFDL/J/2022-23/1258 Dated : 15.11.2022	The sample fails in the tests for description w.r.t sample portion received as above.
17	Monzem LC	Sure for Cure Formulations (I) Pvt. Ltd. Plot No. 13 sector , IIDC, Sidcul , Rudrapur U.S Nagar , Uttarakhandf - 263133 Mrk. By : Saffron Formulations Pvt. Ltd C/O Shree Krishna Sulphate Pvt. Ltd , Godown No.2 , S.No 245 , Indrad Kadi Road, Village Indrad Mehsana - 382715 , Gujarat.	Zone VI Srinagar	ST-5668 M/D: 11/2021 E/D: 10/2023	L/DA/22-23/1532 Dated : 13.11.2022	The sample does not comply to the test “Uniformity of Weights”.
18	Septodine 10%	Upsilon Pharma Labs , IGC Lassipora , J&K -192301	Zone III Srinagar	UPL24SD13-22 M/D: 07/2022 E/D: 06/2024	L/DA/2021-22/1656 Dated : 06.12.2022	The percentage contents of Povidone Iodine calculated as available Iodine in the sample are found less than the claim made ( 67.98%)
19	Para-MF Suspension	VADSP Pharmaceuticals Plot No. 124, E.P.I.P Indl. Area , Phase-I , Jharmajri, Baddi (H.P) Mrk.By: Altra Life Sciences Corporate Office Building No. 2503 , 3 <sup>rd</sup> Floor Ward No. IX Sarak Pream Narayan Choori Walan Near Chawdi Bazar Metro Station North Delhi - 110006	Zone V Srinagar	VLS66 M/D: 04/2022 E/D: 03/2024	L/DA/2022-23/1658 Dated : 12.12.2022	The contents of Mefenamic acid and Paracetamol are found less than the claim made.
20	Diclopac Aqua	Macin Remedies India Ltd. B-21, Ind. Focal Point , Moga (Pb) 142001 Mrk.By: Pharma Corp. Inc (P) Ltd. R.O Plot No. 49, SK Compound-1 MR-11, Lasudia Mori, Dewas Naka Indore - 452010	Kupwara	DA131 M/D: 05/2021 E/D: 04/2023	L/DA/2022-23/1659 Dated : 12.12.2022	The sample does not comply to the tests Description & Particulate matter.
21	Lcet-M KID	Salud Care Pvt. Ltd 435 , Kishanpur Roorkee 247661 Mrk.By: Treatwell Pharma A62 Rudraksh 2, Complex GIDC Phase-3, Vatva Ahmedabad	Zone VI Srinagar	ST22-0414 M/D: 02/2022 E/D: 01/2024	L/DA/2022-23/1845 Dated : 09.01.2023	The contents of Levocetirizine Hydrochloride in the sample are found less than the claim.
22	Robero-20	Merion Care Pvt. Ltd. Khasra No. 1296, Mandhala, Barotiwala,	Budgam	MT-022222A M/D: 02/2022 E/D: 01/2024	L/DA/2022-23/1875 Dated : 19.01.2023	The sample does not comply with IP requirements with respect to Dissolution Test and Disintegration.

**LIST OF SUB-STANDARD DRUGS IN JAMMU & KASHMIR STATE DURING THE PERIOD OF 2022-23 (till March, 2023)**

		tehsil-Baddi, Distt. Solan (H.P) 174103 Mfd. For : Edison Organica Pharmaceuticals Pvt. Ltd SCO-96, Seciوند Floor , Sec-5, Panchkula 134114				
23	XEFUR 500	Proceed Formulations , 17, Ind. Area , Morthikri Ramgarh , Derabassi 140 201 Mrk. By : Zian Pharmacia, Plot No. 346, Ground Floor, Industrial Area , Phase-I, panchkula, Haryana – 134 113	Samba	PFT-1510B M/D: 06/2022 E/D: 05/2024	CFDL/J/2022-23/1722 Dated : 23.01.2023	The Assay Contents of Cefuroxime Axetil are found NIL , hence the sample is declared as Spurious w.r.t the tests applied as above.
24	Paracetamol Tablets IP (JKMSCL Hospital Supply 2021-22)	Mfg. By : Ridley Lifesciences Pvt. Ltd. D-1651, DSIDC, Ind. Complex , narela , Delhi - 110040	DCO Magam	RT220504 M/D: 06/2022 E/D: 05/2024	L/DA/2022-23/1884 Dated: 07.02.2023	The sample does not comply with the IP requirement with respect to Assay (89.138%)
25	Septodine 10% (SKIMS Supply)	Upsilon Pharma Labs , IGC Lassipora , J&K -192301	Zone III Srinagar	UPL49SD27-22 M/D: 12/2022 E/D: 11/2024	L/DA/2022-23/902 Dated : 08.02.2023	The contents of iodine in the sample are found less than the claim made
26	Gaacef-200 DT	Alexa Pharmaceuticals, Plot No. 20, Ext. HPSIDC Indl. Area, Baddi, Dist. Solan (H.P) -173205 Mrk. By: Gadin Pharmaceuticals Pvt. Ltd. SCF-495, Ist & 2 <sup>nd</sup> Floor , M.Market , Manimajra, Chandigarh (UT) 160101	DCO Resai	ABT220065 M/D: 07/2022 E/D: 06/2024	CFDL/J/2022-23/1852 Dated : 09.02.2023	The sample fails in the assay contents of Cefixime w.r.t tests applied as above. (38..37%)
27	Sooth-SP	Affine Formulations Ltd. 1947/3, Village Bhatia Tehsil Nalagarh Dist. Solan (H.P) Mrk. By: Florescence Healthcare B-404, New Friends Colony Delhi - 110025	DCO Poonch	AF-22T306 M/D: 04/2022 E/D: 03/2024	CFDL/J/2022-23/1853 Dated : 11.02.2023	The sample fails in the assay contents of Aceclofenac for the tests applied as above w.r.t the sample portion received . (44..64%)
28	Omeace-P	Euphoria India Pharmaceuticals Plot No. 145 HPSIDC Ind. Area Baddi Dist. Solan H.P-173205 Mrk. By: Omen Medicare Khasra No. 171/2, Vill. Souri (Adrash Colony), Tehsil Nalagarh Dist. Solan – 174101 (H.P)	DCO Doda	21T-168 M/D: 08/2021 E/D: 07/2023	CFDL/J/2022-23/1959 Dated : 26.02.2023	The sample fails in the assay contents of Aceclofenac for the tests applied as above w.r.t the sample portion received . (27..19%)
29	ASENT-P	Oxford Pharma ,PuhanaChowk , Roorkee , Distt-Haridwar – 247667 (U.K) Mrk. By: Assent Lifetech Pvt. Ltd 19 &24 Skyline Infra Hub B/H	DCO Zone VI Jammu	AT220160 M/D: 06/2022 E/D: 05/2025	CFDL/J/2022-23/2041 Dated : 14.03.2023	The sample fails in the assay contents of Aceclofenac w.r.t the tests applied as above.

**LIST OF SUB-STANDARD DRUGS IN JAMMU & KASHMIR STATE DURING THE PERIOD OF 2022-23 (till March, 2023)**

		IntasPharma , MatodaPatta, Changodar, Ahmedabad 382220				
<b>30</b>	Nymtin-Cold	Spem Formulation Pvt. Ltd. Plot No. 123, Industrial Area ,MehatpurDistt. UNA – 174305 (H.P) Mfg. For :Anvicure Drugs Pvt. Ltd NagalSukeh Road Kala ambDistt. Sirmour 173030 (H.P)	DCO Anantnag HQ	TSF-A0535 M/D: 09/2022 E/D: 08/2024	L/DA/2022-23/2079 Dated : 13.03.2023	The sample fails in test Description of tablets.
<b>31</b>	ACIFAN-SP	J.M Laboratories , Village Bhanat P.O GhatiSubathuSolan (H.P) 173211 Mrk. By :Alphonso Pharmacia SCF No. 656 KR Complex Sec 45-C, Chandigarh.	DCO Rajouri	GT3978D M/D: 05/2022 E/D: 04/2024	CFDL/J/2022-23/2065 Dated : 24.03.2023	The sample fails in the Assay content of Aceclofenac w.r.t the tests applied for the sample portion received.
<b>32</b>	Glenro-2 Injectable Solution (Govt. Supply A.H Deptt. Jammu)	Ethicare Laboratories 15, Indl. Estate , Digiana Jammu 180010	Zone III Jammu	EL-230213 M/D: 02/2023 E/D: 01/2025	CFDL/J/2022-23/2088 Dated : 28.03.2023	The sample fails in the Assay contents ofEnrofloxacin w.r.t the tests applied f or the sample portion received. (70.35%)
<b>33</b>	VASOCON-1 ml	Neon Laboratories Ltd. At Shantisthal , Plot No. 1 -5 At & post : Shirgaon Tal. PalgharDistt. Thane -401 407, M.S	DCO Anantnag HQ	KP85229 M/D: 07/2022 E/D: 06/2023	39-2/2022-SS/J&K-02/3920 Dated : 30.03.2023	The sample does not conform to I.P with respect to test for Particulate Matter and is also not of standard quality for the reason stated under Description.
<b>34</b>	Hydrocort-100	Aqua Vitoe Laboratories Plot No. 4, Village Kunjhal , Near Jharmajri , Baddi, Dist. Solan -173 205 (H.P) India	DCO Anantnag HQ	AQH0039 M/D: 07/2022 E/D: 06/2024	39-2/2022-SS/J&K-03/3923 Dated : 31.03.2023	The sample does not conform to I.P with respect to test for Clarity of Solution